Control Pictures Range: 2400–243F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 5.0.*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See http://www.unicode.org/charts/PDF/Unicode-5.0/ for charts showing only the characters added in Unicode 5.0. See http://www.unicode.org/Public/5.0.0/charts/ for a complete archived file of character code charts for Unicode 5.0.

Disclaimer

These charts are provided as the on-line reference to the character contents of the Unicode Standard, Version 5.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 5.0 (ISBN 0-321-48091-0), online at http://www.unicode.org/versions/Unicode5.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, and #34, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available on-line.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these Code Charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2006 Unicode, Inc. All rights reserved.

Control Pictures

	240	241	242	243
0	NUL	DLE	s _P	
	L 2400	E 2410	2420	
1				
	^s о _н	D _C 1	Pel	
	2401	2411	2421	
2	s _T x	D ₂	ð	
3	2402	2412	2422	
	^Е т _х	D _C 3		
	2403	2413	2423	
4	Е	D	NL	
	^в о _т	D ₄		
	2404	2414	2424	
5	E _N Q	N _A K		
	Q 2405	К 2415	2425	
6			?	
	^А с _к	s _Y N		
	2406	2416	2426	
7	^B e _L	^Е т _в		
8	2407	2417 C _A N		
	^B s			
	2408	2418		
9		E		
	н _т	^Е м		
	2409	2419		
А	L _F	^S U _В		
	240A			
в		V _T ^E s _c		
	v _т			
	240B	241B		
C D	F_	FFS 240C 241C		
	240C			
	с _в	^G s		
	240D	241D		
Е	ss.	Rs		
	240E	241E	AHHH	
F	s _I	U _s		
	240F	241F		
	24Vľ	2415	~//////	

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

Graphic pictures for control codes [™][」] SYMBOL FOR NULL 2400 2401 °° SYMBOL FOR START OF HEADING 2402 s_T SYMBOL FOR START OF TEXT 2403 ^ет_х SYMBOL FOR END OF TEXT 2404 ^во_т SYMBOL FOR END OF TRANSMISSION 2405 E_{No} SYMBOL FOR ENQUIRY 2406 ^c_ SYMBOL FOR ACKNOWLEDGE Be L 2407 SYMBOL FOR BELL

- 2408 ¹⁵ SYMBOL FOR BACKSPACE
- 2409 * SYMBOL FOR HORIZONTAL TABULATION
- 240A ^L SYMBOL FOR LINE FEED
- 240B VT SYMBOL FOR VERTICAL TABULATION
- 240C F SYMBOL FOR FORM FEED
- 240D °R SYMBOL FOR CARRIAGE RETURN
- 240E ^s SYMBOL FOR SHIFT OUT 240F ^s SYMBOL FOR SHIFT IN
- 240F ⁸¹ SYMBOL FOR SHIFT IN 2410 ^{PL}_€ SYMBOL FOR DATA LINK ESCAPE
- 2411 [°] SYMBOL FOR DEVICE CONTROL ONE
- 2412 ^D_{c2} SYMBOL FOR DEVICE CONTROL TWO
- 2413 °c₃ SYMBOL FOR DEVICE CONTROL THREE
- 2414 °c. SYMBOL FOR DEVICE CONTROL FOUR
- 2415 ** SYMBOL FOR NEGATIVE ACKNOWLEDGE
- 2416 ^sY_N SYMBOL FOR SYNCHRONOUS IDLE
- 2417 ${}^{E_{T_{B}}}$ SYMBOL FOR END OF TRANSMISSION BLOCK
- 2418 SYMBOL FOR CANCEL
- 2419 [™] SYMBOL FOR END OF MEDIUM 241A [™] SYMBOL FOR SUBSTITUTE
- 241A SYMBOL FOR SUBSTITU 241B SYMBOL FOR ESCAPE
- 241C SYMBOL FOR FILE SEPARATOR
- 241D ⁶ SYMBOL FOR GROUP SEPARATOR
- 241E ^s SYMBOL FOR RECORD SEPARATOR
- 241F ^u_s SYMBOL FOR UNIT SEPARATOR
- 2420 ^s_P SYMBOL FOR SPACE
- 2421 ^P^EL SYMBOL FOR DELETE

Specific symbols for space

- 2422 b BLANK SYMBOL
 - graphic for space
 - \rightarrow 0180 b latin small letter b with stroke
- 2423 _ OPEN BOX
 - graphic for space
 - \rightarrow 2334 \square counterbore

Graphic picture for control code

2424 NL SYMBOL FOR NEWLINE

Keyboard symbol

- 2425 // SYMBOL FOR DELETE FORM TWO
 - from ISO 9995-7
 - keyboard symbol for undoable delete

Specific symbol for control code

- 2426 SYMBOL FOR SUBSTITUTE FORM TWO • from ISO 2047
 - \rightarrow 061F $\stackrel{\varsigma}{\cdot}\,$ arabic question mark