

Dingbats

Range: 2700–27BF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 5.0*.

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-5.0/> for charts showing only the characters added in Unicode 5.0. See <http://www.unicode.org/Public/5.0.0/charts/> for a complete archived file of character code charts for Unicode 5.0.

Disclaimer

These charts are provided as the on-line reference to the character contents of the Unicode Standard, Version 5.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 5.0 (ISBN 0-321-48091-0), online at <http://www.unicode.org/versions/Unicode5.0.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, and #34, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available on-line.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these Code Charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2006 Unicode, Inc. All rights reserved.

	270	271	272	273	274	275	276	277	278	279	27A	27B
0		2710	2720	2730	2740	2750		2770	2780	2790	27A0	
1	2701	2711	2721	2731	2741	2751	2761	2771	2781	2791	27A1	27B1
2	2702	2712	2722	2732	2742	2752	2762	2772	2782	2792	27A2	27B2
3	2703	2713	2723	2733	2743		2763	2773	2783	2793	27A3	27B3
4	2704	2714	2724	2734	2744		2764	2774	2784	2794	27A4	27B4
5		2715	2725	2735	2745		2765	2775	2785		27A5	27B5
6	2706	2716	2726	2736	2746	2756	2766	2776	2786		27A6	27B6
7	2707	2717	2727	2737	2747		2767	2777	2787		27A7	27B7
8	2708	2718		2738	2748	2758	2768	2778	2788	2798	27A8	27B8
9	2709	2719	2729	2739	2749	2759	2769	2779	2789	2799	27A9	27B9
A		271A	272A	273A	274A	275A	276A	277A	278A	279A	27AA	27BA
B		271B	272B	273B	274B	275B	276B	277B	278B	279B	27AB	27BB
C	270C	271C	272C	273C		275C	276C	277C	278C	279C	27AC	27BC
D	270D	271D	272D	273D	274D	275D	276D	277D	278D	279D	27AD	27BD
E	270E	271E	272E	273E		275E	276E	277E	278E	279E	27AE	27BE
F	270F	271F	272F	273F	274F		276F	277F	278F	279F	27AF	

ITC Zapf dingbats series 100

Miscellaneous

2701		UPPER BLADE SCISSORS
2702		BLACK SCISSORS
2703		LOWER BLADE SCISSORS
2704		WHITE SCISSORS
2705		<reserved> → 260E black telephone
2706		TELEPHONE LOCATION SIGN → 2121 telephone sign
2707		TAPE DRIVE
2708		AIRPLANE
2709		ENVELOPE
270A		<reserved> → 261B black right pointing index
270B		<reserved> → 261E white right pointing index
270C		VICTORY HAND
270D		WRITING HAND
270E		LOWER RIGHT PENCIL
270F		PENCIL
2710		UPPER RIGHT PENCIL
2711		WHITE NIB
2712		BLACK NIB
2713		CHECK MARK → 221A square root
2714		HEAVY CHECK MARK
2715		MULTIPLICATION X → 00D7 multiplication sign → 2573 box drawings light diagonal cross
2716		HEAVY MULTIPLICATION X
2717		BALLOT X → 2613 saltire
2718		HEAVY BALLOT X

Crosses

2719		OUTLINED GREEK CROSS
271A		HEAVY GREEK CROSS
271B		OPEN CENTRE CROSS
271C		HEAVY OPEN CENTRE CROSS
271D		LATIN CROSS
271E		SHADOWED WHITE LATIN CROSS
271F		OUTLINED LATIN CROSS
2720		MALTESE CROSS • Historically, the Maltese cross took many forms; the shape shown in the Zapf Dingbats is similar to one known as the Cross Formée.

Stars, asterisks and snowflakes

2721		STAR OF DAVID
2722		FOUR TEARDROP-SPOKED ASTERISK
2723		FOUR BALLOON-SPOKED ASTERISK
2724		HEAVY FOUR BALLOON-SPOKED ASTERISK
2725		FOUR CLUB-SPOKED ASTERISK
2726		BLACK FOUR POINTED STAR
2727		WHITE FOUR POINTED STAR
2728		<reserved> → 2605 black star
2729		STRESS OUTLINED WHITE STAR → 2606 white star
272A		CIRCLED WHITE STAR
272B		OPEN CENTRE BLACK STAR
272C		BLACK CENTRE WHITE STAR
272D		OUTLINED BLACK STAR
272E		HEAVY OUTLINED BLACK STAR

272F		PINWHEEL STAR
2730		SHADOWED WHITE STAR
2731		HEAVY ASTERISK → 002A asterisk
2732		OPEN CENTRE ASTERISK
2733		EIGHT SPOKED ASTERISK
2734		EIGHT POINTED BLACK STAR
2735		EIGHT POINTED PINWHEEL STAR
2736		SIX POINTED BLACK STAR = sextile
2737		EIGHT POINTED RECTILINEAR BLACK STAR
2738		HEAVY EIGHT POINTED RECTILINEAR BLACK STAR
2739		TWELVE POINTED BLACK STAR
273A		SIXTEEN POINTED ASTERISK = starburst
273B		TEARDROP-SPOKED ASTERISK
273C		OPEN CENTRE TEARDROP-SPOKED ASTERISK
273D		HEAVY TEARDROP-SPOKED ASTERISK
273E		SIX PETALLED BLACK AND WHITE FLORETTE
273F		BLACK FLORETTE
2740		WHITE FLORETTE
2741		EIGHT PETALLED OUTLINED BLACK FLORETTE
2742		CIRCLED OPEN CENTRE EIGHT POINTED STAR
2743		HEAVY TEARDROP-SPOKED PINWHEEL ASTERISK
2744		SNOWFLAKE
2745		TIGHT TRIFOLIATE SNOWFLAKE
2746		HEAVY CHEVRON SNOWFLAKE
2747		SPARKLE
2748		HEAVY SPARKLE
2749		BALLOON-SPOKED ASTERISK = jack
274A		EIGHT TEARDROP-SPOKED PROPELLER ASTERISK
274B		HEAVY EIGHT TEARDROP-SPOKED PROPELLER ASTERISK = turbofan

Miscellaneous

274C		<reserved> → 25CF black circle
274D		SHADOWED WHITE CIRCLE
274E		<reserved> → 25A0 black square
274F		LOWER RIGHT DROP-SHADOWED WHITE SQUARE
2750		UPPER RIGHT DROP-SHADOWED WHITE SQUARE
2751		LOWER RIGHT SHADOWED WHITE SQUARE
2752		UPPER RIGHT SHADOWED WHITE SQUARE
2753		<reserved> → 25B2 black up-pointing triangle
2754		<reserved> → 25BC black down-pointing triangle
2755		<reserved> → 25C6 black diamond
2756		BLACK DIAMOND MINUS WHITE X
2757		<reserved> → 25D7 right half black circle
2758		LIGHT VERTICAL BAR → 007C vertical line
2759		MEDIUM VERTICAL BAR
275A		HEAVY VERTICAL BAR

Punctuation ornaments

275B	◌	HEAVY SINGLE TURNED COMMA QUOTATION MARK ORNAMENT → 2018 ‘ left single quotation mark
275C	◌	HEAVY SINGLE COMMA QUOTATION MARK ORNAMENT → 2019 ’ right single quotation mark
275D	“	HEAVY DOUBLE TURNED COMMA QUOTATION MARK ORNAMENT → 201C “ left double quotation mark
275E	”	HEAVY DOUBLE COMMA QUOTATION MARK ORNAMENT → 201D ” right double quotation mark
275F	◌	<reserved>
2760	◌	<reserved>
2761	¶	CURVED STEM PARAGRAPH SIGN ORNAMENT → 00B6 ¶ pilcrow sign
2762	!	HEAVY EXCLAMATION MARK ORNAMENT → 0021 ! exclamation mark
2763	♥	HEAVY HEART EXCLAMATION MARK ORNAMENT
2764	♥	HEAVY BLACK HEART → 2665 ♥ black heart suit
2765	♣	ROTATED HEAVY BLACK HEART BULLET
2766	♣	FLORAL HEART = Aldus leaf
2767	♣	ROTATED FLORAL HEART BULLET = hедера, ivy leaf → 2619 ♣ reversed rotated floral heart bullet

Ornamental brackets

2768	(MEDIUM LEFT PARENTHESIS ORNAMENT → 0028 (left parenthesis
2769)	MEDIUM RIGHT PARENTHESIS ORNAMENT → 0029) right parenthesis
276A	(MEDIUM FLATTENED LEFT PARENTHESIS ORNAMENT
276B)	MEDIUM FLATTENED RIGHT PARENTHESIS ORNAMENT
276C	(MEDIUM LEFT-POINTING ANGLE BRACKET ORNAMENT → 2329 ‹ left-pointing angle bracket
276D)	MEDIUM RIGHT-POINTING ANGLE BRACKET ORNAMENT → 232A › right-pointing angle bracket
276E	◀	HEAVY LEFT-POINTING ANGLE QUOTATION MARK ORNAMENT → 2039 ‹ single left-pointing angle quotation mark
276F	▶	HEAVY RIGHT-POINTING ANGLE QUOTATION MARK ORNAMENT → 203A › single right-pointing angle quotation mark
2770	⌈	HEAVY LEFT-POINTING ANGLE BRACKET ORNAMENT
2771	⌋	HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT
2772	[LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT → 3014 [left tortoise shell bracket
2773]	LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT → 3015] right tortoise shell bracket
2774	{	MEDIUM LEFT CURLY BRACKET ORNAMENT → 007B { left curly bracket
2775	}	MEDIUM RIGHT CURLY BRACKET ORNAMENT → 007D } right curly bracket

Dingbat circled digits

2776	❶	DINGBAT NEGATIVE CIRCLED DIGIT ONE
2777	❷	DINGBAT NEGATIVE CIRCLED DIGIT TWO
2778	❸	DINGBAT NEGATIVE CIRCLED DIGIT THREE
2779	❹	DINGBAT NEGATIVE CIRCLED DIGIT FOUR
277A	❺	DINGBAT NEGATIVE CIRCLED DIGIT FIVE
277B	❻	DINGBAT NEGATIVE CIRCLED DIGIT SIX
277C	❼	DINGBAT NEGATIVE CIRCLED DIGIT SEVEN
277D	❽	DINGBAT NEGATIVE CIRCLED DIGIT EIGHT
277E	❾	DINGBAT NEGATIVE CIRCLED DIGIT NINE
277F	❿	DINGBAT NEGATIVE CIRCLED NUMBER TEN
2780	①	DINGBAT CIRCLED SANS-SERIF DIGIT ONE
2781	②	DINGBAT CIRCLED SANS-SERIF DIGIT TWO
2782	③	DINGBAT CIRCLED SANS-SERIF DIGIT THREE
2783	④	DINGBAT CIRCLED SANS-SERIF DIGIT FOUR
2784	⑤	DINGBAT CIRCLED SANS-SERIF DIGIT FIVE
2785	⑥	DINGBAT CIRCLED SANS-SERIF DIGIT SIX
2786	⑦	DINGBAT CIRCLED SANS-SERIF DIGIT SEVEN
2787	⑧	DINGBAT CIRCLED SANS-SERIF DIGIT EIGHT
2788	⑨	DINGBAT CIRCLED SANS-SERIF DIGIT NINE
2789	⑩	DINGBAT CIRCLED SANS-SERIF NUMBER TEN
278A	❶	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ONE
278B	❷	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT TWO
278C	❸	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT THREE
278D	❹	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FOUR
278E	❺	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FIVE
278F	❻	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SIX
2790	❼	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SEVEN
2791	❽	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT EIGHT
2792	❾	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT NINE
2793	❿	DINGBAT NEGATIVE CIRCLED SANS-SERIF NUMBER TEN

Dingbat arrows

2794	➔	HEAVY WIDE-HEADED RIGHTWARDS ARROW
2795	◌	<reserved> → 2192 ➔ rightwards arrow
2796	↔	<reserved> → 2194 ↔ left right arrow
2797	↕	<reserved> → 2195 ↕ up down arrow
2798	↘	HEAVY SOUTH EAST ARROW
2799	➔	HEAVY RIGHTWARDS ARROW
279A	➔	HEAVY NORTH EAST ARROW
279B	➔	DRAFTING POINT RIGHTWARDS ARROW
279C	➔	HEAVY ROUND-TIPPED RIGHTWARDS ARROW
279D	➔	TRIANGLE-HEADED RIGHTWARDS ARROW
279E	➔	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW
279F	➔	DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
27A0	➔	HEAVY DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
27A1	➔	BLACK RIGHTWARDS ARROW
27A2	➤	THREE-D TOP-LIGHTED RIGHTWARDS ARROWHEAD
27A3	➤	THREE-D BOTTOM-LIGHTED RIGHTWARDS ARROWHEAD
27A4	➤	BLACK RIGHTWARDS ARROWHEAD
27A5	➤	HEAVY BLACK CURVED DOWNWARDS AND RIGHTWARDS ARROW

27A6	➡	HEAVY BLACK CURVED UPWARDS AND RIGHTWARDS ARROW
27A7	⬇	SQUAT BLACK RIGHTWARDS ARROW
27A8	➡	HEAVY CONCAVE-POINTED BLACK RIGHTWARDS ARROW
27A9	⇨	RIGHT-SHADED WHITE RIGHTWARDS ARROW
27AA	⇧	LEFT-SHADED WHITE RIGHTWARDS ARROW
27AB	↖	BACK-TILTED SHADOWED WHITE RIGHTWARDS ARROW
27AC	↗	FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW
27AD	⇨	HEAVY LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
27AE	⇧	HEAVY UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
27AF	⇨	NOTCHED LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
27B0	◻	<reserved>
27B1	⇨	NOTCHED UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
27B2	↻	CIRCLED HEAVY WHITE RIGHTWARDS ARROW
27B3	➡	WHITE-FEATHERED RIGHTWARDS ARROW
27B4	↘	BLACK-FEATHERED SOUTH EAST ARROW
27B5	➡	BLACK-FEATHERED RIGHTWARDS ARROW
27B6	↗	BLACK-FEATHERED NORTH EAST ARROW
27B7	↘	HEAVY BLACK-FEATHERED SOUTH EAST ARROW
27B8	➡	HEAVY BLACK-FEATHERED RIGHTWARDS ARROW
27B9	↗	HEAVY BLACK-FEATHERED NORTH EAST ARROW
27BA	➡	TEARDROP-BARBED RIGHTWARDS ARROW
27BB	➡	HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW
27BC	➡	WEDGE-TAILED RIGHTWARDS ARROW
27BD	➡	HEAVY WEDGE-TAILED RIGHTWARDS ARROW
27BE	⇒	OPEN-OUTLINED RIGHTWARDS ARROW