

SECRET

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

PIR

PHOTOGRAPHIC INTERPRETATION REPORT



25X1C

**VITAL RECORDS COPY
FIRE-CONTROL RADAR
MOUNTED ON ZSU-23/4
SELF-PROPELLED
ANTIAIRCRAFT GUN
7 NOVEMBER 1965
AND 1 MAY 1966
MOSKVA PARADES**

NPIC/R-33/67
MARCH 1967

GROUP 1 EXCLUDED FROM
AUTOMATIC DOWNGRADING
AND DECLASSIFICATION

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

SECRET

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

W A R N I N G

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

RECORD COPY	COPY NO.	PUB. DATE	LOCATION	MASTER	DATE RECEIVED	LOCATION
CUT TO COPIES 25	DATE 7-69	CUT TO COPIES	DATE	COPIES DESTROYED		
CUT TO COPIES 10	DATE 7-71	CUT TO COPIES	DATE			
CUT TO COPIES 0	DATE 7-73	MASTER	DATE			

DATE			RECEIVED OR ISSUED	NUMBER OF COPIES			DATE			RECEIVED OR ISSUED	NUMBER OF COPIES		
MO.	DAY	YR.		REC'D	ISS'D	BAL	MO.	DAY	YR.		REC'D	ISS'D	BAL
3	16	67	Dist. Unit	54		54							
11	7	69	Dest. 29		29	25							
1	27	70	Dest. 15		15	10							
10	16	72	Dest 10 Copies			0	WK	6					

25X1C

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

TITLE

MPIC/R-33/67

March 1967

100

PREFACE

This report has been prepared in response to DIA requirement DIA-11-66 (ST-2) and provides mensuration details on the fire-control radar mounted on a ZSU-23/4 which was observed in both the 7 November 1965 and 1 May 1966 Moskva Parades.

25X1D

25X1C

SECRET

NPIC/R-33/67

FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 7 NOVEMBER 1965 AND 1 MAY 1966 MOSKVA PARADES

DESCRIPTION

25X1D

A fire-control radar mounted on a ZSU-23/4 vehicle was observed on [redacted] photography taken during the 7 November 1965 and the 1 May 1966 Moskva Parades. In addition to the side and rear elevations of the radar set shown in Figures 1 through 6, the elevation axis stop limits have been determined and are presented below.

25X1D

The radar reflector and the elevation drive mechanism are mounted on 4 hydraulic shock absorbers (cylinders) which are fixed to a base plate [redacted]. The manner in which the hydraulic shocks (cylinders) converge to their mounting on this base plate seems to indicate that the radar set has an azimuthal rotation capability. Based on the radar's position shown in Figure 6, this is in fact true and the base plate is actually the housing for a roller track bearing and azimuth drive motor-type assembly.

The entire radar assembly can be folded down when not in use.

The coaxial cable is looped behind the reflector with sufficient slack to permit the antenna to move in the vertical plane (elevation).

The vertical plane movement is limited by the fixed stop plate which is fixed at [redacted] degrees above the horizontal axis of the vehicle and by 2 offset radial cuts on the elevation axis shaft housing (Figure 1) as making a 30 degree angle at the front and a 30 degree angle at the rear of the fixed stop plate. These radial cuts or rotating stop plates allow a 60 degree vertical movement. However, the forward rotating stop plate is elevated 16 degrees above the boresight, thus allowing the boresight to be lowered to a position approximately [redacted] degrees below the horizontal. This results in an approximate maximum boresight elevation limit of [redacted] degrees above the horizontal.

25X1D

25X1

25X1D




FIGURE 1. THREE-QUARTER TOP VIEW OF THE FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 1 MAY 1966.

25X1C

SECRET

25X1C

SECRET

NPIC/R-33/67





FIGURE 2. RIGHT SIDE OF THE FIRE-CONTROL RADAR.

NPIC L-7046 (2/67)

25X1C

SECRET

NPIC/R-33/67




SCALE 1:12
ALL DIMENSIONS IN FEET

FIGURE 3. DIMENSIONAL DRAWING OF THE RIGHT SIDE OF THE FIRE-CONTROL RADAR.

NPIC L-7047 (2/67)

25X1D

25X1D



25X1C

SECRET

- 5 -

25X1C

SECRET

FIGURE 5. RIGHT SIDE OF THE FIRE-CONTROL RADAR MOUNTED ON ZSU-23/4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 7 NOVEMBER 1966. N.P.I.C. L-7249 (2/67)

25X1D

25X1D

N.P.I.C./R-33/67



25X1C

SECRET

25X1C

SECRET

RADAR SET IN
STOW POSITION

FIGURE 6. QUARTER RIGHT VIEW OF RIGHT SIDES OF 2 FIRE-CONTROL RADARS MOUNTED ON ZSU-23 4 SELF-PROPELLED ANTI-AIRCRAFT GUN, 1 MAY 1966.

NPTC/R-33/67

25X1C

SECRET

NPIC/B-33/67

REFERENCES

PHOTOGRAPHY

25X1D

[REDACTED]

DOCUMENT 25X1D

25X1C

- 1. DOD. [REDACTED] *Soviet ZSU-23/4 Self-Propelled Antiaircraft Gun*, 31 Mar 66 (CONFIDENTIAL/No Foreign

RELATED DOCUMENT

DPIC (RCAF). 53.02.10/133, *ZSU-23 (?), 4 (USSR)*, 15 Dec 65 (SECRET)

REQUIREMENT

DIA-11-66 (ST-2)

NPIC PROJECT

11516/66

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4
25X1C

Approved For Release 2000/04/17 : CIA-RDP78B04560A005900010019-4

**NATIONAL
SECURITY
ARCHIVE**

This document is from the holdings of:

The National Security Archive

Suite 701, Gelman Library, The George Washington University

2130 H Street, NW, Washington, D.C., 20037

Phone: 202/994-7000, Fax: 202/994-7005, nsarchiv@gwu.edu