



# THE BLACK VAULT

This document was obtained from The Black Vault, an online database of declassified government documents. This particular record is housed in the MKULTRA/Mind Control Collection, a compilation of more than 20,000 pages declassified by the Central Intelligence Agency (CIA).

The entire collection is free to download and online at:

**<http://mkultra.theblackvault.com>**

- 1) Drugs, chemicals (psycho-chemicals)
  - a) New derivatives
  - b) Combinations
  - c) New techniques &/or uses
- 2) Plants, shrubs, vines, fungi
- 3) Natural toxins
  - a) Insect
  - b) Snake
  - c) Fish &c
- 4) Sound, supersonics, vibrations, intense sound
- 5) Radio waves, UHF, S.W.
- 6) Electronic fields (medical)
  - a) E.E.G.
  - b) Electric shock
  - c) Electronarcosis
- 7) Diet, dietary deficiencies, vitamin deficiencies, salty diet, calcium removal &c.
- 8) Gases, aerosols, hypospray, mists, dusts, vapors
- 9) Oxygen deprivation
- 10) Pressure changes, pressurized areas
- 11) Hypnosis, suggestion
  - a) Hypno-analysis
  - b) Narco-analysis
  - c) Narco-hypnosis
- 12) Extra-Sensory Perception
- 13) Psychological harassment
  - a) Sounds
  - b) Solitary confinement
- 14) Nerve-gases, cholinesterase study
- 15) Micro-organisms, bacteria, Artificial fevers
- 16) Histamins
- 17) Glandular disturbances (artificial)
- 18) Lobotomies &c.
- 19) Light, blinking light, glare
- 20) Colors (?)
- 21) Special weapons
  - a) Automatic injections
  - b) Gas dischargers
  - c) Hypospray
- 22) Cover, special cover techniques
- 23) Technical aids
  - a) Photography
  - b) Monitoring systems, recorders
  - c) Personal intercom. devices
  - d) False devices
  - e) Equipment, tools - general
- 24) Polygraph, uses in connection with

A/B, 1, 44/9

A

I I I	II II II	III III III	IV IV IV
Disturbance of brain's temporal lobe, etc. current or radiant energy, to produce depersonalization or other LSD-like effects	Possible inhibition of amygdaloid or other brain center, by radiant energy, to produce taming effect	Isolation (special recent techniques)	Possible iontophoretic using poly rings, or arcs for general effect; usually given to man or dog.
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Tryptophan	
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Sedative drugs	
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Cocaine (for general effect)	
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Electroencephalic — especially if possible without drug injection	N <sub>2</sub> O; other anesthetic gases
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Electroencephalic — especially if possible without drug injection	N <sub>2</sub> O; other anesthetic gases
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Electroencephalic — especially if possible without drug injection	N <sub>2</sub> O; other anesthetic gases
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Electroencephalic — especially if possible without drug injection	N <sub>2</sub> O; other anesthetic gases
LSD-like effects in man (LSD-like)	Reserpine, ergot, etc. ergonovine	Electroencephalic — especially if possible without drug injection	N <sub>2</sub> O; other anesthetic gases

Rhodesonone  
Oregon gristle  
rather from liver cancer

Diagnosis: thick middle ear - potassium loss (cortisone, corticosterone etc.); electric or other stimulation of internal ear; or possible middle ear disturbance in a mastoid tube.

possible conclusion in electromagnetic, high freq., or radar fields

<p>2</p>	<p>→</p>	<p>←</p>	<p>ing drugs (e.g. Chlorpromazine); Tetraethylammonium, Hexamethonium, Famine, Ildar, &amp;c</p>
<p>1</p> <p>Chauliia (Audiixin &amp; Serpasil)</p>	<p>Hyanesin to reduce anxiety, alone</p>	<p>Drugs simulating lobotomy effect</p>	<p>Surgical lobotomies</p>
<p>2</p> <p>" + ...</p>	<p>or with other more potent drugs</p>	<p>(Reorganin-?,</p>	
<p>3</p>			
<p>4</p> <p>Prognosis: improvements in hypnotizability — by drugs, hyperventilation (loss of CO<sub>2</sub>), posture, various rates of interrupted sound (metronome), &amp;c; progress in post-hypnotic suggestions</p>	<p>Deconditioning: probably by some not yet sure or safe brain-shock; possibly by post-hypn. suggestion</p>	<p>Brain-washing techniques</p>	<p>Extra-Sensory Perception</p>
<p>5</p>			

I.

PROJECT'S INTEREST in AIDS-to-INTERROGATION (columns in descending order of importance for added study, as seen by researcher)

++++ MOST INTEREST	+++ MORE THAN AVERAGE	++ AVERAGE INTEREST	+ LESS THAN AVERAGE	A
Disturbance of brain's temporal lobe by some current or radiant energy, to produce depersonalization & other LSD25-like effects	Possible inhibition of amygdaloid isolation (recent special technique) or other brain center, by radiant energy, to produce tanding effect		Possible loss of areas during pol, rad., or drugs (for general effect) usually liver, mouth or larynx.	
Rauwolfia (Raudixin or Serpasil) Rauwolfia + an amphetamine	Lyanesin to reduce anxiety, alone or with other more potent drugs	Drugs simulating lobotomy effect	Surgical lobotomies	
	Chlorpromazine (Thorazine)	Curare: paralyzing or other effects	Autonomic-ganglion-blocking drugs (other than Chlorpr.) tetraceth, clonidine, etc	
Lysergic acid diethylamid (LSD25)				

(A)

A/B, 1, 44/10

APPLIED ON SUBJECT

<p>Reduced Anxiety may make Subject unguarded</p> <p>Stimulation disarms, makes S. overconfident</p> <p>Suggestibility makes compliant &amp; revealing</p> <p>Epileptiform Convulsion is accompanied by unconsciousness, &amp; followed</p> <p>at times by momentary candor</p> <p>always by Amnesia for the unconscious period, &amp; Confusion Excited OR Drowsy State</p> <p>Confusion induces errors &amp; inconsistencies</p> <p>Deep objectionable Inject., Elec-narcosis allows use of Indirect Arousal to Suggestibility</p>	<p>Reduce Anxiety</p>	<p>Stimulate</p> <p>&amp; Promote Suggestibility &amp; Sensitize to Convulsion</p> <p>&amp; Confuse</p>	<p>Attempt to Convulse may Produce Epilept. Convulsion followed usually by Confusion</p> <p>OR simply Confusion</p>
<p>Chemical Routes</p> <p>Physical Means</p>	<p>Oral</p> <p>Intra-venous</p>	<p>Oral</p> <p>Inhal-ation</p> <p>Subcu-taneous</p> <p>Intra-venous</p>	<p>Sound</p> <p>Light</p> <p>Elec-tric Field</p>

HYPOKINESIS omitted here, except \*

Tetra-ethyl-ammonium

Oblivon

(b)

less (as Oblivon)

OR

taste (as Marijuana)

Drug can be	disguis- ed, but detect- able or	OR	exhila- ration (as Dex- edrin)
		sense	OR
	suspect- ed by	of	drowsi- ness (as Barbit- urates)

Sub-  
ject  
to be  
unwitt-  
ing as  
possible

Flickering light's purpose  
can be somewhat disguised  
by simulated ventilator-fan

\* Except Post-hypnotic  
Suggestion, no instant  
Sleep-Producer is available

Partially aroused Subject  
would be aware of Electro-  
narcosis instrumentation, &  
would recall it after re-  
covering consciousness

Electric Shock from drugged  
Sleep, would be experimen-  
tal; effects uncertain

Lyanesin

Mescaline

Cannabinol/Rushish

Heroin ?

+ ?

Scopo-  
chloralose

Isoniazid?

Flicker

Methedrin

OR Dexedrin

Flicker

Sod. Amytal

+ Methedrin

Flicker

Ultrasonics Topectomy (from  
drugged Sleep) might cause  
conscious distress & aches

Re  
S  
S  
D  
C  
S  
a  
u  
r  
C  
S  
a  
u  
r  
C  
S  
a  
u  
r

(C)

ORAL	INTRA- VENOUS	ORAL	INHAL- ATION	SUBCU- TANEOUS	INTRA- VENOUS	SOUND	LIGHT	ELEC. FIELD
------	------------------	------	-----------------	-------------------	------------------	-------	-------	----------------

Scofolarin  
+Mor. OR Her.

Isoniazid

Flicker

Metrazol

Flicker

Ryanesin

but probably does  
not identify the drug

Sub-  
ject  
to be Witting,

& does identify the drug

Alcohol  
+Metadrin  
?



INTERVENTIONS, TOWARD IMPROVING THE PRODUCT OF INTERROGATION,

AWAKE	APPLIED ON SUBJECT ASLEEP				Sustain Drug's Effects	Antagonize or desired Effect
<p>(X)</p> <p>Confuse</p> <p>Produce Sleep</p> <p>Oral</p> <p>Intra-venous</p> <p>(other rays?)</p>	<p>to Suggestibility,</p> <p>Arouse partially</p> <p>Intra-venous</p> <p>Electro-narcosis</p>	<p>Produce Epil.Convulsion foll.usually by Confusion</p> <p>Intra-venous</p> <p>Elec. Shock</p>	<p>Reduce Anxiety (long-term)</p> <p>&amp; Confuse</p> <p>Ultra-sonics</p>	<p>(route)</p>	<p>(route)</p>	

INTERP.  
w. OR w/o.  
POLYGR.

AMNESIA

(E)

Dorlandson		Succinyl (frac-
Dorlandson OR Oellvon	methedrin OR Dexedrin narcosis	an analgesic?
Sod. Jeconal OR Pyral	methedrin OR Eloc narcosis	an analgesic?

Shook

Succinyl (frac-

OTHER (NAME)	Sod. Amytal OR Dormison						Ultrason. Topectomy	an analgesic
	ORAL	INTRA- VENOUS	INTRA- VENOUS	ELECTRO- NARCOSIS	INTRA- VENOUS	ELEC. SHOCK	ULTRA- SONICS	
							(route)	(route)
								26.1.5.7 (nausea) Succinyl (fracture)
	Sod. Amytal OR Pentothal		OR Elec. narcosis					an analgesic?
	Surital					Shock		Succinyl (fracture)
	Pentothal OR Surital						Ultrason. Topectomy	an analgesic

