

understand what is happening. When ESP experiences are no longer felt as a threat, the activation of internal resources during therapy allow the patient to mitigate or overcome resistances, actualizing his tendency towards recovery.

The purpose of this paper is to expand the traditional concept of the individual vs. environment, taking into account the possibility of other levels of reality which can interact with the individual. It is not our intention to substitute today's psychotherapeutic knowledge - but only to add to it another dimension, aiming at a holistic understanding of the patient and his reality, as well as his recovery.

REFERENCES

Capra, F. The Tao of Physics, Great Britain: The Chaucer Press, 1975.

Ellenberger, H.F. The Discovery of the Unconscious. New York: Basic Books, Inc., 1970

Jaspers, Karl. Psicopatologia Geral. Rio de Janeiro: Livraria Guanabara, 1973, vol I and II.

Kiskos, J. and Samuel, A. Healing at a Distance: Some Evidence Suggestive of Theta Agent Influence in Psychological Disturbances. In Proceedings of the Third International Conference on Psychotronic Research. Tokyo, 1977, Vol. II, 481

LeShan, L. The Medium, the Mystic and the Physicist. New York: Viking Press, 1974.

Price, H.H. Mediumship and Human Survival. In Wheatley, J.M.O. Edge, H.L. (ed.) Philosophical Dimensions of Parapsychology. Springfield: Bannerstone House, 1976.

Tart, C.T. Altered States of Consciousness. New York: John Wiley Sons, Inc., 1972

Toben, B. Space, Time and Beyond. New York: E.P. Dutton, 1975.



CLINICAL PSYCHOLOGY AND LEVELS OF REALITY:
PART II - ESP AS AN AID TO PSYCHOTHERAPY
IN SOME PSYCHOLOGICAL DISORDERS

SAMUEL, Andréa. and KISKOS, Julika
Clinical Psychologists
Sociedade de Pesquisas Psicobiofísicas de
São Paulo
São Paulo, S.P., Brazil

Abstract: The authors discuss the interactions between other levels of reality and ours in cases involving patients with psychological disorders of various kinds. Trained sensitives were used in this study and often manifested extraneous personalities (named theta agents by the authors), and who were involved with the patients. A description is made of the theta agents observed and their interaction with the patients. Removal of theta agents by means of certain procedures is followed by an improvement in the patients' condition. This approach combined with traditional psychotherapy opens up new possibilities for patients whose prognosis of recovery is remote or dependent on extensive psychotherapy.

Introduction

In 1977, at the III International Conference on Psychotronic Research in Tokyo, we presented a paper discussing the possibility of influencing at a distance people with various types of psychological disorders, aiming at relieving or removing the symptoms experienced. After experimenting during three years, we had come to the conclusion that this could be done. However, we also found out that extraneous personalities manifested themselves, suggesting an interrelation between psychological disorders of some patients and the influence of these personalities - which we named "theta agents". Also in this paper, we described the types of theta agents we came across, as well as the improvement and relapses observed in patients as well as their interaction with these agents. The subjects selected for our sample did not know that they were being focused by the group, were not undergoing psychotherapy and had been showing certain symptoms for more than a year.

The purpose of this paper is to take up these aspects and extend them based on observations made during the last two years.

Working Hypothesis

Our observations, as pointed out in our paper "ESP as a Component of Some Psychological Disorders", which is being presented at this conference, led us to consider that there might be another level of reality, unperceived by our senses, but which could interact with the individual. Apparently, besides the classical interaction of individual vs. environment, there could be a third one that we would call "spiritual". "Spiritual" is probably not the best word

to describe this additional interaction due to its religious connotations. However, as we lack a more neutral word, we are using with these entities, we noticed that they usually become to maintain it. in a certain dramatic moment of their lives. They may

On the other hand, the hypothesis of the existence of other levels of reality is supported by observations made by other researchers:
 a) the pioneers of the Society for Psychical Research of London; b) the early French metapsychists; c) the studies carried out by Stevenson, Osiris, LeShan, Tart, Moody and others; d) Modern Physics

This mass of information cannot be disregarded under the claim that the experiences are the outcome of fraud, mysticism, primitive collective hallucination, or other labels one might want to use. This because the facts have been observed and confirmed by researchers over many years of work.

Method of Work

As we described in 1977, our work is done by a group of people of which are sensitives. These meet once a week with the objective of practicing absent healing or healing of patients present at such meetings. The patients are persons with psychological disorders of various kinds. For the past two years we eliminated "distance" as an experimental control, because our observations showed that the subject was unaware of the treatment significant alteration occurred in his behaviour. This eliminated the hypothesis of a suggestion. We use sensitives in this work because presently the "spiritual" level previously mentioned is only accessible through sensitives, i.e., people that have ESP faculty.

Theta Agents

During the treatment of certain patients, we came across extra personalities. These we named "theta agents", because the circumstances in which they manifested themselves led us to conclude they were deceased persons.

Based on our observations we found four types of theta agents: a) theta agents unaware that they have died; b) theta agents leading harm patients by means of black magic; c) theta agents that out revenge try to harm the patient; d) theta agents sharing and enjoying patients' activities.

These four categories were reported in 1977 and, up to now, no new types have been found. The classification is based on our observations. These categories are not mutually exclusive; sometimes they appear in a combined form.

- a) Theta agents unaware that they have died - They usually manifest a state of mental confusion, presenting two or more of the following characteristics:
- they do not know where they are or what is happening to them
 - they feel that they are in total darkness
 - complain about physical pains
 - are apathetic and feel weak, tired or drowsy
 - complain about existential situations
 - worry about or look for their family, but are unable to find it
 - complain about difficulties in contacting people, who act as if they did not notice their presence.

ion situations related to illness
 of an accident or quarrel
 no motivation to go on living and talk about suicide
theta agents induced to harm patients by means of black magic
are aware of their condition
 rendering services in certain place or places
 amoral
 mercenary, i.e., do what they have contracted to do, depending
 that they receive by means of black magic procedures
 order to accomplish their objectives, they might also use
 marties unaware that they are dead.
 not emotionally involved with the patient
theta agents that intentionally try to harm patients
 may be aware or unaware that they have died
 tion of harming is due to revenge
 tionally involved, as they feel they have been victimized by
 ent
 times an entity of this type is not harming the patient
 tionally; he remains at his side, claiming to love him
theta agents that share and enjoy patients' activities
 may be aware or unaware that they have died
 interaction with patients might become symbiotic
 iosis is directly related to the pleasure obtained in the
 traction, i.e., they are interested in the pleasure provided
 the patient and not, in the patient himself
 mechanism of interaction between a theta agent and a patient is
 one-sided as it might seem. In most cases observed it was
 ble to detect a feedback mechanism between the two sides.
 important to note that when we state that some persons may be
 nced by an agent in another level of reality - the theta
 - we are not necessarily saying that they are the cause of
 disorder. The individual himself, due to his particular nature,
 ten predisposed - open - to the influence exerted by the theta
 . As to the factor that triggers the whole process, it is not
 s found in the patient's physical and perceptible environment
 it may also be a combination of both.
ission
 e opting for the theta agent hypothesis, we analysed several
 natives that might explain our observations. The following
 heses have been eliminated: 1) simulation of trance; 2) sensi-
 s subconscious; 3) coincidental improvement of the patient;
 to-suggestion on part of the patient; 5) telepathy; 6) clair-
 ce; 7) "this-world ESP" (as described by Price)
 hypotheses were analysed in relation to three types of
 ment:
 th patients that were unaware that they were given absent
 aling
 th patients that knew that they were being given absent healing

C) with patients that were being treated in the presence of living with these entities, we noticed that they usually become
tives in a certain dramatic moment of their lives. They may

Concerning "A": alternatives 1 and 2 are eliminated when patient of an accident or quarrel
unaware of absent healing. The sensitives' perceptions coincide no motivation to go on living and talk about suicide
with patients' mental and/or physical states and a significant improvement was observed. Coincidental improvement alone (3) theta agents induced to harm patients by means of black magic
not explain the many cases observed during these years, some are aware of their condition
chronic symptoms. Improvement due to autosuggestion (4) can rendering services in certain place or places
eliminated as the patients did not know that they were being removal
by absent healing. As to alternatives 5, 6 and 7, it is natural mercenary, i.e., do what they have contracted to do, depending
sensitives to obtain information by telepathy, clairvoyance that they receive by means of black magic procedures
-world ESP". However, what we are reporting here is that a order to accomplish their objectives, they might also use
improvement occurred in patients that had been presenting patients unaware that they are dead.
logical disorders. The mere perception by the sensitives of not emotionally involved with the patient
emotional states or symptoms by means of telepathy, clairvoyance theta agents that intentionally try to harm patients
or "this-world ESP" would not have removed them. Improvement may be aware or unaware that they have died
happened after our work with the theta agent or agents involved tion of harming is due to revenge
the case. tionally involved, as they feel they have been victimized by

Concerning "B" and "C": After the above discussion the only agent
that might be said is that patients improve due to autosuggestion times an entity of this type is not harming the patient
However, when the patient does not know he is being treated tionally; he remains at his side, claiming to love him
still improves, autosuggestion is eliminated. When patients theta agents that share and enjoy patients' activities
aware of the absent healing autosuggestion cannot be totally may be aware or unaware that they have died
nated, but it would be only one single component of a group for interaction with patients might become symbiotic
factors responsible for his improvement. iosis is directly related to the pleasure obtained in the
raction, i.e., they are interested in the pleasure provided
the patient and not in the patient himself

Conclusion:

Our experience leads us to take into account in a more extensive mechanism of interaction between a theta agent and a patient is
the individual vs. environment. We have noticed that environmental one-sided as it might seem. In most cases observed it was
influences can be twofold: a) originating from the environment able to detect a feedback mechanism between the two sides.
ceived through physical senses and b) originating from another important to note that when we state that some persons may be
of reality suggested by the presence of theta agents manifested enced by an agent in another level of reality - the theta
through sensitives. In view of this and according to our experie we are not necessarily saying that they are the cause of
treatment should be applied on two levels: psychotherapeutic and disorder. The individual himself, due to his particular nature,
"spiritual". then predisposed - open - to the influence exerted by the theta

The success of this latter type of therapy depends on the same As to the factor that triggers the whole process, it is not
factors and variables that also intervene in traditional therapy found in the patient's physical and perceptible environment
The acceptance of another level or reality helps to understand it may also be a combination of both.
patient's reality more holistically, as one level complements ession
other. This approach, however, should not be considered a mi tion
way of healing. For example, if a theta agent that has been opting for the theta agent hypothesis, we analysed several
encouraging a patient for some time is removed, its removal does alternatives that might explain our observations. The following
always cause the immediate elimination of the effects, because hypotheses have been eliminated: 1) simulation of trance; 2) sensi-
to his maladjustment, the patient himself has thrown up defen s subconsciously; 3) coincidental improvement of the patient;
deal with his own problems. That is why psychotherapy is bas to-suggestion on part of the patient; 5) telepathy; 6) clair-
this type of treatment. nce; 7) "this-world ESP" (as described by Price)

It is also important to emphasize that when using this type hypotheses were analysed in relation to three types of
approach as an aid to psychotherapy and before placing the pa agent:
next to a sensitive, the psychotherapist should know his pati th patients that were unaware that they were given absent
very well, be aware of his internal resources, and should also healing
carefully evaluated the prognosis of a traditional treatment. th patients that knew that they were being given absent healing

C) with patients that were being treated in the presence of sensitives

Concerning "A": alternatives 1 and 2 are eliminated when patients are unaware of absent healing. The sensitives' perceptions coincide with patients' mental and/or physical states and a significant improvement was observed. Coincidental improvement alone (3) does not explain the many cases observed during these years, some chronic symptoms. Improvement due to autosuggestion (4) can be eliminated as the patients did not know that they were being treated by absent healing. As to alternatives 5,6 and 7, it is natural for sensitives to obtain information by telepathy, clairvoyance or "this-world ESP". However, what we are reporting here is that a significant improvement occurred in patients that had been presenting psychological disorders. The mere perception by the sensitives of emotional states or symptoms by means of telepathy, clairvoyance or "this-world ESP" would not have removed them. Improvement happened after our work with the theta agent or agents involved in the case.

Concerning "B" and "C": After the above discussion the only factor that might be said is that patients improve due to autosuggestion. However, when the patient does not know he is being treated by absent healing, autosuggestion is eliminated. When patients are aware of the absent healing autosuggestion cannot be totally eliminated, but it would be only one single component of a group of factors responsible for his improvement.

Conclusion:

Our experience leads us to take into account in a more extensive way the individual vs. environment. We have noticed that environmental influences can be twofold: a) originating from the environment perceived through physical senses and b) originating from another level of reality suggested by the presence of theta agents manifested through sensitives. In view of this and according to our experience, treatment should be applied on two levels: psychoterapeutic and "spiritual".

The success of this latter type of therapy depends on the same factors and variables that also intervene in traditional therapy. The acceptance of another level or reality helps to understand the patient's reality more holistically, as one level complements the other. This approach, however, should not be considered a new way of healing. For example, if a theta agent that has been assisting a patient for some time is removed, its removal does not always cause the immediate elimination of the effects, because of his maladjustment, the patient himself has thrown up defenses to deal with his own problems. That is why psychotherapy is basic in this type of treatment.

It is also important to emphasize that when using this type of approach as an aid to psychotherapy and before placing the patient next to a sensitive, the psychotherapist should know his patient very well, be aware of his internal resources, and should always carefully evaluate the prognosis of a traditional treatment.

any type of treatment, the patient's active participation towards his recovery. He has to be made aware of his responsibility for what is happening, so that he can avoid tuning out theta agents that may trigger or aggravate his maladjustment.

The absolute or relative success of this combined therapy depends, in addition to traditional psychotherapy, on the patient's age, the length of his maladjustment, his internal resources, environment, etc. The number of weekly psychotherapeutic sessions influence the results, intervals between such "spiritual" treatment can also influence the end result. Balance between these two types of therapy therefore, also be evaluated in each case.

A significant advantage of this combined approach is that it opens up new possibilities for patients whose prognosis of recovery are remote or dependent on extensive psychotherapy. Therefore, it is not surprising that in cases where traditional psychotherapy alone can be ineffective.

Reference:

J. and Samuel, A. Healing at a Distance: Some Evidences of the Influence of Theta Agent in Psychological Disturbances. Proceedings of the Third International Conference on Psycho-Research. Tokyo, 1977, Vol. II, 481